

SOLAR PUMPTEC

SOLAR PUMPING SPECIALISTS

Dam Pontoon/River Applications





> we move it faster >






Assembled in Australia Manufactured in Italy



Solar Pumptec & Nastec Dam Pontoon/River Application

The Solar Pumptec Nastec Dam Pontoon features include:

- Made from Heavy Duty Poly.
- Tie off location on the top of the Pontoon.
- Motor supported at 10 degree to ensure correct thrust on motor bearing.
- 304 Grade Stainless Steel as standard for easy cleaning.
- 316 Grade Stainless Steel riser and socket to suit Male and Female fittings.
- *Available as extra Feet Support to ensure the pump never runs dry, more suitable for smaller dams.







Slotted Casing for Fixed River Application

If the river is too turbulent this maybe an option, a slotted casing can be slid into the side of the river bank or even attached behind a large tree stump, this way it can be easily removed if needed.



Compatible with the following Nastec Systems



Nera - Helical Rotor ", DC Only

Flow To - 50LPM/Average 20,000LPD to 30,000LPD Max. Head To - 120 Metres Max.



4HS - Helical Rotor 4", AC/DC Multipower

Flow To - 50LPM/Average 30,000LPD Max. Head To - 230 Metres Max.

4HS - Centrifugal Rotor 4"

Flow To - 180LPM/Average 60,000LPD to 100,00LPD Max. Head To - 125 Metres Max.



VSP - Centrifugal Rotor 4"-10", AC/DC Multipower

Flow To - 5,000LPM Max. Head To - 600 Metres Max.











51 Theen Ave Willaston SA 5118

Phone (08) 8522 2762 0447 652 762 0499 771 880

sales@solarpumptec.com.au

solarpumptec.com.au







Sold By